




LARGE HAMMOCK STAND

MODEL #L-EKD




ATTACH YOUR RECEIPT HERE

Serial Number _____ **Purchase Date** _____



Questions, problems, missing parts? Before returning to your retailer, call our customer service department at 1-800-643-3522, Ext. 506, 7:30 a.m. - 5 p.m., EST, Monday - Friday.


PACKAGE CONTENTS



PART	DESCRIPTION	QUANTITY
A	Foot Pole	2
B	Pole with Tapered End	3
C	Base Pole	1
D	Upper Arm Pole	2
E	Foot Cap (pre-assembled)	4
F	End Cap (pre-assembled)	2

HARDWARE CONTENTS (not shown actual size)


AA



Steel Spring Clip
(pre-assembled)

Qty. 7


BB



Offset S-Hook

Qty. 2

CC



Chain Assembly
(with S-Hook)

Qty. 2

SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate or install the product.

WARNING

- Do not exceed the hammock stand's weight limit. Appropriately installed and cared for, the stand has a weight limit of 450 lbs.
- Whenever the stand is moved, check that the Steel Spring Clips (AA) are still properly inserted. Failure to do so could result in the hammock stand collapsing while in use.
- Young children should **never** be allowed to use a hammock (not included) without adult supervision, and infants should **never** be placed in a hammock.

CAUTION

- Inspect the stand for rust and the pins of the Steel Spring Clips (AA) for wear each time someone gets into any hammock (not included) being used with the stand.
- The stand should **never** be dragged; this puts unnecessary strain on the Steel Spring Clips (AA) that hold the stand together. To move the stand, two people should lift at either end. A wheel kit (not included) made for steel hammock stands can also be used for moving the stand.
- Do not replace the Offset S-Hooks (BB) with other hardware; these hooks are specially designed for use with this stand to prevent damage to the stand's powder-coat finish. For replacement hooks, call 1-800-643-3522, Ext. 506.


PREPARATION

Before beginning assembly of product, make sure all parts are present. Compare parts with package contents list and hardware contents. If any part is missing or damaged, do not attempt to assemble the product.

Estimated Assembly Time: 5 minutes.


ASSEMBLY INSTRUCTIONS

1. Place one Foot Pole (A) flat on the ground with one short arm pointed up and the other level with the floor. Attach the Base Pole (C) to the lower arm of the Foot Pole using the Foot Pole's Steel Spring Clip (AA), pushing down on the silver-colored pin at that end of the Foot Pole and then sliding the wider end of the Base Pole over the pin until the pin pops into the oval hole in the Base Pole, locking both poles in place. Repeat step with other Foot Pole, attaching it to the wider end of a Pole with Tapered End (B).



Hardware Used



AA Steel Spring Clip (pre-assembled) x 2



2. Attach the Pole with Tapered End (B) from Step 1 to the Base Pole (C). Make sure the Steel Spring Clip (AA) snaps into place.

Hardware Used

AA Steel Spring Clip (pre-assembled) x 1





ASSEMBLY INSTRUCTIONS

3. Connect the wider end of a Pole with Tapered End (B) to the upward-facing short arm of one Foot Pole (A) using the Foot Pole's remaining Steel Spring Clip (AA). Repeat step with the other Foot Pole and the remaining Pole with Tapered End.

Hardware Used



AA Steel Spring Clip
(pre-assembled)



4. Connect an Upper Arm Pole (D) to a Pole with Tapered End (B) using the Pole with Tapered End's Steel Spring Clip (AA). Repeat step with other Foot Pole and remaining Upper Arm Pole to complete the stand body.

Hardware Used



AA Steel Spring Clip
(pre-assembled)



5. Fit the wide side of one Offset S-Hook (BB) into the hole at the top of each Upper Arm Pole (D).

Hardware Used

BB Offset S-Hook





ASSEMBLY INSTRUCTIONS

HANGING A HAMMOCK



6. Place a link of chain attached to your hammock (not included) over one Offset S-Hook (BB). Repeat for the opposite side of the hammock and stand. Adjust hammock height by changing chain links.

Hardware Used



7. If the hammock (not included) you are hanging does **not** come with attached chains, use the Chain Assemblies (CC) provided with this stand. Attach the S-Hook at the end of each Chain Assembly to the O-ring at each end of your hammock, then return to Step 6 for instructions on hanging the hammock from this stand.

Hardware Used



CARE AND MAINTENANCE

- Wipe off any loose dirt or debris. Organic material can support mold and mildew growth, which can potentially damage the stand.
- To help prevent rust, do not leave stand legs in puddled water.
- During long periods in which your hammock (not included) is not in use, disassemble this stand and store it, along with the hammock, in a dry place away from harsh chemicals.

TROUBLESHOOTING

PROBLEM	POSSIBLE CAUSE	CORRECTIVE ACTION
The pin of a Steel Spring Clip (AA) is not visible through its corresponding hole in a stand pole.	The Steel Spring Clip may have shifted during shipping or during movement of the stand.	Slide the Steel Spring Clip, with the triangular side facing into the pole, until the pin on the clip pops out of the hole.


WARRANTY

Product is guaranteed free of defects in workmanship and materials for up to one year from the date of purchase. If product is found to be defective within that time, the manufacturer will replace it at no charge. Normal wear and tear, including prolonged exposure to snow, rain and heavy humidity, is not covered, nor is mold, mildew or damage from improper storage, maintenance or installation. An original sales receipt must accompany any returned product, along with a Return Authorization Number from our customer service department; call us toll-free at 1-800-643-3522, Ext. 506.


REPLACEMENT PARTS LIST

For replacement parts, call our customer service department at 1-800-643-3522, Ext. 506, 7:30 a.m. - 5 p.m., EST, Monday - Friday.


PART	DESCRIPTION	PART #
AA	Steel Spring Clip	9254
BB	Offset S-Hook	9269
CC	Chain Assembly (with S-Hook)	9257



AA



BB



CC

Printed in China